

Aimpoint®

CompML3™

Like the CompM3, the CompML3 features our breakthrough Advanced Circuit Efficiency Technology (ACET) that gives the sight unparalleled battery life and ease of use.

Built primarily for use in daylight and in low light conditions for law enforcement and military applications, the CompML3 will hold up under the roughest physical handling and most severe weather conditions. It is the perfect choice for professionals, hunters and sport shooters who don't need night vision device compatibility but want an extremely tough and reliable sight. For night vision compatibility we recommend the CompM3.

The CompML3 comes with a replaceable outer black rubber cover, which protects it from scratching and adds an additional stealth factor. The outer cover is also available in Dark Earth Brown – perfect camo for use in the desert and in the jungle.



Features of CompML3™

- Designed for day use, including dusk and dawn
- New technology called ACET allows 50,000 hours of operation on one battery
- Available in 2 dot sizes (2 and 4 MOA)
- Submersible to 135 feet (45 meters)
- Outer rubber cover now available in earth brown
- Comes with replaceable outer black rubber cover
- Reduced training time and ammunition

Standard features on all Aimpoint sights

- Unlimited field of view
- Parallax-free with unlimited eye relief
- Unaffected by extreme weather conditions
- Rugged, durable construction
- No hazardous materials used
- No laser emission that could be harmful to your eyes
- Mechanical switch for speed and reliability
- Increased aiming confidence
- Reduced training time and ammunition
- No laser emission that could be harmful to yourthe eyes
- Mechanical switch for speed and reliability
- Increased aiming confidence
- Reduced training time and ammunition

THE FUTURE IN SIGHT™



APPLICATION AREAS

Law Enforcement	Primary use
Armed Forces - Special Units	Primary use
Hunters	Secondary use
IPSC shooters	Secondary use

APPLICATION FIREARMS

Pistol - Revolver	Primary use
Carbine	Primary use
PDW (personal weapon defence)	Primary use
SMG (sub-machine gun)	Primary use
LMG (light machine gun/light support weapon)	Primary use
MMG (medium machine gun/medium support weapon)	Primary use
Bow	Secondary use
Magnum handgun	Secondary use
Semi-automatic rifle	Secondary use
Rifle with shorter action	Secondary use
Scout rifle	Secondary use

TECHNOLOGY

ACET (Advanced Circuit Efficiency Technology)

OPTICAL DATA

Reflex collimator sight	Red dot sight
LED (Light Emitting Diode)	Totally eye-safe
Red dot size	4 MOA*
	2 MOA*
Parallax-free	No centering required
Eye relief	Unlimited
Anti-reflex coating	All surfaces & multi-layer coating
Magnification	1X

ELECTRONIC DATA

Battery	One 3V Lithium battery, type 2L76 or DL1/3N
Battery life	50.000 hours
Mechanical switch	Dot intensity regulator, 10 settings
Settings	1 Off, 9 daylight settings

MECHANICAL DATA

Material housing	Extruded aircraft aluminum
Surface finish	Hardd anodised, matte
Color	Carbon black
Material lens covers	Thermoplastic Elastomer, black, non glare
Adjustment	1 click = 13mm at 100 meters = 1/2" at 100 yards
Mounting solution	1 ring, 30 mm Ø
Mounting solution	Aimpoint Quick Release (QR)

ENVIRONMENTAL DATA

Temperature range	-45° - +70° C, -50° - +160° F
Water resistance	Submersible to 135 ft., 45 m.
Radioactive components used	None

DIMENSIONS

Length	130 mm, 5.1"
Width/height	55 mm, 2.2"
Maximum ring width	30 mm
Weight**	220 g, 7.8 oz
Rubber cover	50 g, 1.7 oz

ARTICLE NUMBERS

4 MOA	11405
2 MOA	11416



MO0487

* MOA (minute of angle) 1 MOA = 30 mm at 100 meters = 1" at 100 yards
 ** Dimensions and weights for CompM2, ML2, ML2 2X, M3, ML3 are given with flip-up lens covers